

U.S. Patent Application Serial No. 10/721,069

Response filed July 31, 2007

Reply to OA dated February 7, 2007

**AMENDMENTS TO THE CLAIMS:**

Please cancel claim 3 without prejudice or disclaimer. This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claim 1 (Previously Presented): A toner for an image-forming apparatus, which has a cleaning means with a cleaning blade to remove a residual toner remaining on a surface of a photoconductive member after transfer;

the toner comprises:

a colored polymer particle and an inorganic particle as the external additive,

wherein the colored polymer particle is produced by polymerization reaction and has a core-shell structure,

wherein the colored polymer particle has an average circle degree in the range of 0.95-0.995 and a volume average particle diameter in the range of 3-8  $\mu\text{m}$ , and

wherein the external additive comprises (A) calcium phosphate particles or calcium carbonate particles having a volume average primary particle diameter in the range of 0.1 to 3.0  $\mu\text{m}$ , (B) small-sized fine silica particles having a volume average primary particle diameter in the range of 5 to 18 nm; and (C) large-sized fine silica particles having a volume average primary particle diameter in the range of 20 to 60 nm,

U.S. Patent Application Serial No. **10/721,069**

Response filed July 31, 2007

Reply to OA dated February 7, 2007

which toner has an absolute value of charge amount measured by aspirating and collecting the toner with an aspirating type charge amount analyzer in the range of 20-70  $\mu\text{C/g}$  in a toner layer formed on a developing roll when the toner is used with the image-forming apparatus, and

the average number of particles of the external additive, having a particle diameter in the range of 0.1-3.0  $\mu\text{m}$ , on the surface of the colored polymer particle, is in the range of 10-500 particles per single colored polymer particle.

Claim 2 (Original): The toner according to claim 1, wherein the colored polymer particle further comprises a parting agent.

Claims 3-4 (Canceled).

Claim 5 (Previously Presented): The toner according to claim 1, wherein the colored polymer particle has such a particle diameter distribution that particles with diameter not larger than 4  $\mu\text{m}$  is in the portion of 3-9.1 number percent.

Claim 6 (Original): The toner according to claim 1, wherein the colored polymer particle further comprises a charge control resin with a weight average molecular weight in the range of 2,000-50,000.

Claims 7-22 (Canceled).